Printing date 10.04.2015

Revision: 10.04.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· Trade name: Power I

· Article number: 5340

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Chelated iron supplement

· 1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: ATCO International 1401 Barclay Circle, S.E. Marietta, Ga 30060

770-424-7550 • 1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



Eye Irrit. 2 H319 Causes serious eye irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🗙 Xi; Irritant

R36: Irritating to eyes.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

Additional information:

There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of component(s) of unknown toxicity

(Contd. on page 2)

Printing date 10.04.2015

Revision: 10.04.2015

Trade name: Power I (Contd. of page 1) · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS). The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labelling: Sodium Ligno Sulfonate Hazard statements H319 Causes serious eye irritation. Precautionary statements Wear protective gloves / eye protection. P280 Wash thoroughly after handling. P264 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. P337+P313 · Hazard description: · WHMIS-symbols: D2B - Toxic material causing other toxic effects NFPA ratings (scale 0 - 4) Health = 1 Fire = 0Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1 Fire = 0 FIRE Reactivity = 0 HMIS Long Term Health Hazard Substances None of the ingredients are listed. · 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. (Contd. on page 3)

Printing date 10.04.2015

Revision: 10.04.2015

(Contd. of page 2)

Trade name: Power I

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

l	 Dangerous components: 				
	CAS: 8061-51-6	Sodium Ligno Sulfonate	10-25%		
		🗙 Xi R36			
		(1) Eye Irrit. 2, H319	1		
	CAS: 7782-63-0	iron(II) sulfate (1:1) heptahydrate	10-25%		
	EINECS: 231-753-5	🗙 Xn R22; 🗙 Xi R36/38			
	Index number: 026-003-01-4	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319			
L	· Additional information:				

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air: consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Headache Cramp Coughing Irritant to eyes. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Hazards May be harmful if swallowed.

May cause respiratory irritation.

(Contd. on page 4)

Printing date 10.04.2015

Revision: 10.04.2015

(Contd. of page 3)

Trade name: Power I

· 4.3 Indication of any immediate medical attention and special treatment needed

Contains soluble iron salts. Consult literature for specific antidotes. Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information No further relevant information available.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

(Contd. on page 5)

Printing date 10.04.2015

Trade name: Power I

Revision: 10.04.2015

(Contd. of page 4)

Avoid storage near extreme heat, ignition sources or open flame. • Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidising agents. Do not store together with alkalis (caustic solutions). • Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

7782-63-0 iron(II) sulfate (1:1) heptahydrate

REL (USA) Long-term value: 1 mg/m³ as Fe

TLV (USA) Long-term value: 1 mg/m³

as Fe

• **DNELs** No further relevant information available.

• **PNECs** No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

Printing date 10.04.2015

Revision: 10.04.2015

Trade name: Power I

(Contd. of page 5)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Safety glasses

· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical properties General Information 						
 Appearance: Form: Colour: Odour: Odour threshold: 	Liquid Brown Characteristic Not determined.					
· pH-value at 20 °C (68 °F):	5					
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. >100 °C (>212 °F)					
· Flash point:	Not applicable.					
· Flammability (solid, gaseous):	Not applicable.					
 Auto/Self-ignition temperature: 	Not determined.					
· Decomposition temperature:	Not determined.					
· Self-igniting:	Product is not self-igniting.					
· Danger of explosion:	Product does not present an explosion hazard.					
 Explosion limits: Lower: 	Not determined.	(Contd. on page 7)				

Printing date 10.04.2015

Trade name: Power I

Revision: 10.04.2015

Upper:	Not determined.	(Contd. of page 6)
· Vapour pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	1,07 g/cm³ (8,929 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidising agents.

Reacts with strong alkali.

• 10.4 Conditions to avoid Store away from oxidising agents.

• **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

Sulphur oxides (SOx)

Toxic metal oxide smoke

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

- · LD/LC50 values relevant for classification: None.
- Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Irritating effect.

• Sensitisation: No sensitising effects known.

• Subacute to chronic toxicity: No further relevant information available.

• Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 8)

Printing date 10.04.2015

Revision: 10.04.2015

Trade name: Power I

(Contd. of page 7)

Irritant

· Acute effects (acute toxicity, irritation and corrosivity):

Irritating to eyes.

May be harmful if swallowed.

• **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): None.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

- · DOT, ADR, ADN, IMDG, IATA
- · 14.2 UN proper shipping name
- DOT, ADR, ADN, IMDG, IATA

Not Regulated

Not Regulated

(Contd. on page 9)

Printing date 10.04.2015

Trade name: Power I

Revision: 10.04.2015

· 14.3 Transport hazard class(es)		(Contd. of page 8)
,		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
 14.4 Packing group DOT, ADR, IMDG, IATA 	Not Regulated	
14.5 Environmental hazards:		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
14.7 Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

 $^{\cdot}$ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

• Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenic Categories

• EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

(Contd. on page 10)

Printing date 10.04.2015

Revision: 10.04.2015

Trade name: Power I

(Contd. of page 9)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

R22

Harmful if swallowed.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

(Contd. on page 11)

Printing date 10.04.2015

Revision: 10.04.2015

Trade name: Power I

(Contd. of page 10)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 • **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com