Conforms to HazCom 2012/United States

# **SAFETY DATA SHEET**

## **Section 1. Identification**

Product identifier(s)/ Trademark(s) used on the label	: Super-Syn Grease
Other means of identification	: Product Code: 3759

Relevant identified uses of the substance or mixture and uses advised against

Manufacturer	: Atco International 1401 Barclay Circle,S.E. Marietta, GA 30060 Tel: 1-770-424-7550
Emergency telephone number (with hours of operation)	: CHEMTEL : 1-800-255-39-24 (24/7)

# Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
17	

# Section 2. Hazards identification

Hazards not otherwise classified

: None known.

## Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not applicable.
identification	

#### **CAS number/other identifiers**

CAS number	: Not applicable.
Product code	: 73100

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necess	ary first aid measures
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

# Most important symptoms/effects, acute and delayed Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>otoms</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate me	edical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, <sub>CO2,</sub> water spray (fog) or foam. :
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	: No special protection is required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	: Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for c	ontainment and cleaning up
Spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### **Precautions for safe handling**

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

controlsother engineering controls to keep worker exposure to airborne contaminants below ar recommended or statutory limits.Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.Individual protection measures Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection massessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.: Chemical-resistant, impervious gloves complying with an approved standard should be		
including any incompatibilities       direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.         Section 8. Exposure controls/personal protection         Control parameters         Occupational exposure limits         None.         Appropriate engineering controls         : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation other engineering controls to keep worker exposure to airborne contaminants below ar recommended or statutory limits.         Environmental exposure       : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.         Individual protection measures       : Wash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the levatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.         Eyelface protection       : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.         Skin protection       : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk asse	Section 7. Handlin	ig and storage
Control parameters       Occupational exposure limits         None.       Appropriate engineering controls       : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation of other engineering controls to keep worker exposure to airborne contaminants below ar recommended or statutory limits.         Environmental exposure controls       : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.         Individual protection measures       : Wash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.         Eye/face protection       : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.         Skin protection       : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.         Body protection       : Personal protective equipment for the body should be approved by a specialist before handling this product.         Other skin protection       : Appropriate footwear and any additional skin protection measures should be exported by a specialist before handling this product.	including any	direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.
Occupational exposure limits None.         Appropriate engineering controls       : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation o other engineering controls to keep worker exposure to airborne contaminants below ar recommended or statutory limits.         Environmental exposure controls       : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.         Individual protection measures       : Wash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.         Eye/face protection       : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.         Skin protection       : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.         Body protection       : Personal protective equipment for the body should be approved by a specialist before handling this product.         Other skin protection       : Appropriate footwear and any additional skin protection measures should be exporved by	Section 8. Exposu	re controls/personal protection
None.         Appropriate engineering controls       : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation other engineering controls to keep worker exposure to airborne contaminants below ar recommended or statutory limits.         Environmental exposure controls       : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.         Individual protection measures       : Wash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.         Eye/face protection       : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.         Skin protection       : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.         Body protection       : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	Control parameters	
Appropriate engineering controls: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation of other engineering controls to keep worker exposure to airborne contaminants below ar recommended or statutory limits.Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.Individual protection measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.Other skin protection: Appropriate footwear and any additional skin protection measures should be approved by a specialist before handling the performed and the risks involved and should be approved by	Occupational exposure lim	<u>lits</u>
controlsother engineering controls to keep worker exposure to airborne contaminants below ar recommended or statutory limits.Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.Individual protection measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.Body protection: Personal protective equipment for the body should be approved by a specialist before handling this product.Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by	None.	
controlsthey comply with the requirements of environmental protection legislation.Individual protection measuresWash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, 		: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by		
<ul> <li>eating, drinking, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.</li> <li>Skin protection         <ul> <li>Hand protection</li> <li>Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.</li> </ul> </li> <li>Body protection         <ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> <li>Appropriate footwear and any additional skin protection measures should be approved by</li> </ul> </li> </ul>	Individual protection measu	<u>ires</u>
Skin protectionHand protectionHand protectionBody protectionBody protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist 	Hygiene measures	eating, drinking, smoking and using the lavatory and at the end of the working period.
<ul> <li>Hand protection</li> <li>Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.</li> <li>Body protection</li> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> <li>Other skin protection</li> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>	Eye/face protection	assessment indicates this is necessary to avoid exposure to liquid splashes,
<ul> <li>worn at all times when handling chemical products if a risk assessment indicates this is necessary.</li> <li>Body protection</li> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> <li>Other skin protection</li> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>	Skin protection	
Other skin protectionperformed and the risks involved and should be approved by a specialist before handling this product.Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by	Hand protection	worn at all times when handling chemical products if a risk assessment indicates this is
based on the task being performed and the risks involved and should be approved by	Body protection	performed and the risks involved and should be approved by a specialist
- · ·	Other skin protection	based on the task being performed and the risks involved and should be approved by
<b>Respiratory protection</b> : Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.	Respiratory protection	standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

# Section 9. Physical and chemical properties

: Semi-solid.
: Translucent White.
: Mild.
: Not available.

# Section 9. Physical and chemical properties

	• •
Flash point	: Open cup: 265.56°C (510°F) [Cleveland.]
Burning time	: Not applicable.
Burning rate	: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper	: Not available.
explosive (flammable)	
limits Vapor pressure	: 0.00021 kPa (0.0016 mm Hg) [300°F]
Vapor density	: Not available.
Relative density	: 0.89 g/ml
Solubility	: Insoluble in water.
Solubility in water	: Insoluble.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	e : Not available.
SADT	: Not available.
Viscosity	: Not available.

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Welding.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

Information on toxicological effects
Acute toxicity
There is no data available.
Irritation/Corrosion
There is no data available.
Sensitization
There is no data available.
<u>Mutagenicity</u>
There is no data available.
Carcinogenicity

# Section 11. Toxicological information

There is no data available.		
Reproductive toxicity		
There is no data available.		
Teratogenicity		
There is no data available.		
Specific target organ toxicit	<u>y (single exposure)</u>	
There is no data available.		
Specific target organ toxicit	y (repeated exposure)	
There is no data available.		
Aspiration hazard		
There is no data available.		
Information on the likely routes of exposure	: Dermal contact. Eye contact. Inhalation. Ingestion.	
Potential acute health effects		
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
-		
	sical, chemical and toxicological characteristics	
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Delayed and immediate effect	ts and also chronic effects from short and long term exposure	
Short term exposure		
Potential immediate effects	: No known significant effects or critical hazards.	
Potential delayed effects : N	lo known significant effects or critical hazards.	
Long term exposure	-	
Potential immediate effects	: No known significant effects or critical hazards.	
Potential delayed effects : N	lo known significant effects or critical hazards.	
Potential chronic health effe	-	
General	: No known significant effects or critical hazards.	
Carcinogenicity	: No known significant effects or critical hazards.	
Mutagenicity	: No known significant effects or critical hazards.	
Teratogenicity	: No known significant effects or critical hazards.	
Developmental effects	: No known significant effects or critical hazards.	
	-	
Fertility effects	: No known significant effects or critical hazards.	

Numerical measures of toxicity Acute toxicity estimates

## Section 11. Toxicological information

There is no data available.

## Section 12. Ecological information

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

There is no data available.

# Mobility in soilSoil/water partition: There is no data available.coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

#### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Γ

Additional -	-	-
information		
		AERG : Not applicable
Special precautions for user	: <b>Transport within user's premises:</b> always tra upright and secure. Ensure that persons trans the event of an accident or spillage.	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not available.	
Section 15. Regula	tory information	
U.S. Federal regulations	: TSCA 4(a) final test rules: Polytetrafluoroethyl	lene
-	TSCA 8(a) CDR Exempt/Partial exemption:	
	TSCA 12(b) one-time export: Polytetrafluoroe	
	United States inventory (TSCA 8b): All comp	onents are listed or exempted.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed	
Clean Air Act Section 602 Class I Substances	: Not listed	
Clean Air Act Section 602 Class II Substances	: Not listed	
DEA List I Chemicals (Precursor Chemicals)	: Not listed	
DEA List II Chemicals (Essential Chemicals)	: Not listed	
<u>SARA 302/304</u>		
Composition/information or	ingredients	
No products were found.		
SARA 304 RQ	: Not applicable.	
<u>SARA 311/312</u>		
Classification	: Not applicable.	
Composition/information or	ingredients	
No products were found.		
State regulations		
Massachusetts	: None of the components are listed.	
New York	: None of the components are listed.	
New Jersey	: None of the components are listed.	
Pennsylvania	: The following components are listed: Polytetraf	luoroethylene
California Prop. 65		

# Section 15. Regulatory information

International regulations	
International lists	<ul> <li>Australia inventory (AICS): All components are listed or exempted.</li> <li>China inventory (IECSC): All components are listed or exempted.</li> <li>Korea inventory: All components are listed or exempted.</li> <li>New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.</li> <li>Philippines inventory (PICCS): All components are listed or exempted.</li> </ul>
Chemical Weapons Convention List Schedule I Chemicals	: Not listed
Chemical Weapons Convention List Schedule II Chemicals	: Not listed
Chemical Weapons Convention List Schedule III Chemicals	: Not listed

## Section 16. Other information

Hazardous Material Information System (U.S.A.)				
Health :	0 * Flammability :	1	Physical hazards :	0

#### National Fire Protection Association (U.S.A.)

**Health**: 0 **Flammability**: 1 **Instability**: 0 Caution: HMIS® and NFPA ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

The customer is responsible for determining the PPE code for this material.

#### **History**

Date of issue mm/dd/yy	yy: 01/01/2014
Version	:1
Revised Section(s)	: Not applicable.
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labeling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

## Section 16. Other information

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.