

M A T E R I A L S A F E T Y D A T A S H E E T

24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 3340

PRODUCT NAME: FAST (A/11)
 PRODUCT CODE: 3340

HMIS CODES: H C F R P
 2 4 0 B

WHMIS CLASS: Not Determined

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: ATCO International
 ADDRESS : 1401 Barclay Circle
 Marietta, GA 30060
 INFORMATION PHONE : (770)424-7550

DATE PRINTED: 11/30/2010

PREPARED BY: Allen Buckalew, TECHNICAL SERVICES
 REVISION DATE: 11/30/2010

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	PEL	TLV	WEIGHT PERCENT
ETHYL ETHER	60-29-7	400ppm	400ppm	15-20%
HEPTANE	142-82-5	400ppm	400ppm	75-80%
CARBON DIOXIDE PROPELLANT	124-38-9	10000ppm	10000ppm	3-4%

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE: 148-225° F SPECIFIC GRAVITY (H2O=1): 0.70
 VAPOR DENSITY: > 1 (Air=1) EVAPORATION RATE: ND
 DENSITY: 5.84 lb/gl MATERIAL V.O.C.: 96.5%
 SOLUBILITY IN WATER: SLIGHTLY SOLUBLE pH (Concentrate): NA
 APPEARANCE AND ODOR: COLORLESS TO LIGHT YELLOW LIQUID. pH (Diluted): NA
 ODOR: Ethereal Odor

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

OSHA FLAMMABILITY CLASSIFICATION: EXTREMELY FLAMMABLE AEROSOL
 FLASH POINT: < 0 F METHOD USED:
 FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: 1.2% UPPER: 36.5%

EXTINGUISHING MEDIA: Dry chemicals, Foam, or Carbon Dioxide.

SPECIAL FIREFIGHTING PROCEDURES: If water is used, fog nozzles are preferable. Water may be used to cool closed containers in order to prevent pressure build up which may result in containers rupturing. Use self contained breathing apparatus and protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapors are heavier than air will settle and travel along the ground. Contact with an ignition source will cause ignition.

24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 3340

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all ignition sources. Avoid breathing vapors. Shut off source of spill if it can be done safely. Use non-sparking tools. Absorb with inert, absorbant material and dispose of in accordance with applicable regulations.

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable Federal, State, and local regulations. Under RCRA regulations, it is the responsibility of the product user to determine, at the time of disposal, whether a material is hazardous.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a dry, cool place away from heat or open flame. Do not store at temperatures above 120 F.

OTHER PRECAUTIONS: Follow label instructions. KEEP OUT OF REACH OF CHILDREN.

===== SECTION VIII - PERSONEL SAFETY MEASURES =====

RESPIRATORY PROTECTION: If using in a confined space, or if OSHA PEL is exceeded, wear a NIOSH approved respirator with an organic vapor cartridge.

VENTILATION: Local mechanical exhaust to provide normal ventilation.

PROTECTIVE GLOVES: For prolonged contact wear impervious gloves.

EYE PROTECTION: Safety eye protection to protect against splash of liquids and also aerosol size particles is recommended.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling.

===== SECTION IX - REGULATORY INFORMATION =====

TOXIC SUBSTANCES CONTROL ACT (TSCA): All chemical components in this product are listed on the TSCA Inventory List, or are exempt from listing.

SARA Section 312 HAZARD CATEGORIES: Fire Hazard X Reactivity Hazard

Acute Health Hazard X Chronic Health Hazard Pressure Hazard X

SARA Section 313 REPORTABLE COMPONENTS: (See Section II, If Applicable)

===== SECTION X - SHIPPING INFORMATION =====

DOT SHIPPING NAME: ORM-D Consumer Commodity

DOT HAZARD CLASS: Not Applicable

UN NUMBER: Not Applicable

DOT PACKING GROUP: Not Applicable

SPECIAL SHIPPING INFORMATION: Regulated only when offered for transportation by aircraft.

===== DISCLAIMER =====

The information on this Material Safety Data Sheet represents our current available data and best opinion as to the proper handling in use of this product under normal conditions. Any use of this product which is not in conformance with this Data Sheet or which involves using this product in combination with other materials, or processes is the sole responsibility of the user.