

24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 3720

===== SECTION V - REACTIVITY DATA =====

STABILITY: Product is stable under normal conditions.

CONDITIONS TO AVOID: Avoid mixing with caustic materials.

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid mixing with caustics or oxidizers.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Thermal decomposition and burning may produce carbon dioxide and carbon monoxide.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

===== SECTION VI - HEALTH HAZARD DATA =====

PRIMARY ROUTES OF ENTRY: Inhalation X Eye Contact X
Skin Contact X Ingestion X

EXPOSURE LIMIT: Refer to Section II for PEL / TLV exposure limits.

ACUTE EFFECTS OF OVEREXPOSURE

INHALATION: May cause nose, throat, and lung irritation.

EYE CONTACT: Eye irritant. May cause injury if left untreated.

SKIN CONTACT: Corrosive to skin. Dermatitis may result from repeated exposure.

SKIN ABSORPTION: Product is very corrosive to skin.

INGESTION: Harmful if swallowed. Corrosive effects. Can cause severe burns and complete tissue perforation of mucous membranes of mouth, throat and stomach.

CHRONIC EFFECTS OF OVEREXPOSURE: Chronic effects and medical conditions aggravated by overexposure to this product have not been established. Unnecessary exposure to this product or any chemical should be avoided.

CARCINOGENICITY: NTP CARCINOGEN: IARC MONOGRAPHS: OSHA REGULATED:

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY OVEREXPOSURE: No additional effects of overexposure to this material can be found from available information.

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: If affected by inhalation of vapor or spray mist, remove to fresh air.

EYE CONTACT: Immediately flush eyes with running water for at least 30 minutes, occasionally lifting the upper and lower eyelids. Have someone inspect eyes to see that no caustic soda beads are attached to eye. Get IMMEDIATE medical attention.

SKIN CONTACT: In case of contact, immediately flush skin with soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation occurs, consult a physician.

24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 3720

INGESTION: Immediately rinse mouth with water. NEVER give anything by mouth to an unconscious person. DO NOT INDUCE VOMITING unless instructed to do so by a physician or poison control center. Get immediate medical attention.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Stop source of spill. Extinguish all sources of ignition. Absorb with inert absorbant material and dispose of in a manner consistant with applicable regulations.

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable Federal, State, and local regulations. Under RCRA regulations, it is the responsibility of the product user to determine, at the time of disposal, whether a material is hazardous.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not store above 120 F. Keep closure tight and container upright to prevent leakage. Store product out of sunlight and away from heat, sparks, or flame. Store only in well-ventilated areas.

OTHER PRECAUTIONS: Follow label instructions. KEEP OUT OF REACH OF CHILDREN.

===== SECTION VIII - PERSONEL SAFETY MEASURES =====

RESPIRATORY PROTECTION: Not normally required if good ventilation is maintained. Avoid breathing vapors or mist.

VENTILATION: Local mechanical exhaust to provide normal ventilation.

PROTECTIVE GLOVES: Impervious gloves must be worn.

EYE PROTECTION: Use safety eyewear designed to protect against splash of liquids.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling.

===== SECTION IX - REGULATORY INFORMATION =====

TOXIC SUBSTANCES CONTROL ACT (TSCA): All chemical components in this product are listed on the TSCA Inventory List, or are exempt from listing.

SARA Section 312 HAZARD CATEGORIES: Fire Hazard___ Reactivity Hazard_X

Acute Health Hazard_X Chronic Health Hazard___ Pressure Hazard___

SARA Section 313 REPORTABLE COMPONENTS: (See Section II, If Applicable)

24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 3720

===== SECTION X - SHIPPING INFORMATION =====

DOT SHIPPING NAME: Corrosive Liquids, N.O.S. (Hydrochloric & Phosphoric Acids)

DOT HAZARD CLASS: Class 8

UN NUMBER: UN 1760

DOT PACKING GROUP: Group II

SPECIAL SHIPPING INFORMATION: Quarts exempt (ORM-D Consumer Commodity)

===== DISCLAIMER =====

The information on this Material Safety Data Sheet represents our current available data and best opinion as to the proper handling in use of this product under normal conditions. Any use of this product which is not in conformance with this Data Sheet or which involves using this product in combination with other materials, or processes is the sole responsibility of the user.