



24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 4415

**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** None

**HAZARDOUS POLYMERIZATION:** Will not occur under normal conditions.

===== SECTION VI - HEALTH HAZARD DATA =====

**PRIMARY ROUTES OF ENTRY:** Inhalation \_\_\_\_\_ Eye Contact  X   
Skin Contact \_\_\_\_\_ Ingestion  X

**EXPOSURE LIMIT:** Refer to Section II for PEL / TLV exposure limits.

**ACUTE EFFECTS OF OVEREXPOSURE**

**INHALATION:** Essentially non irritating.

**EYE CONTACT:** May cause stinging of eyes followed by irritation.

**SKIN CONTACT:** Essentially non irritating.

**SKIN ABSORPTION:** No evidence of adverse effects from available information.

**INGESTION:** Can cause mouth , throat, and gastrointestinal tract irritation, nausea, vomiting, and diarrhea. Seek medical attention as required.

**CHRONIC EFFECTS OF OVEREXPOSURE:** There are no known chronic effects from this product.

**CARCINOGENICITY:** NTP CARCINOGEN: \_\_\_\_\_ IARC MONOGRAPHS: \_\_\_\_\_ OSHA REGULATED: \_\_\_\_\_

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY OVEREXPOSURE:** No additional effects of overexposure to this material can be found from available information.

**EMERGENCY AND FIRST AID PROCEDURES**

**INHALATION:** Remove to fresh air.

**EYE CONTACT:** Immediately flush eyes with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.

**SKIN CONTACT:** Rinse skin with water to remove.

**INGESTION:** Give lots of milk or egg whites and water, to dilute. VOMITING MAY BE INDUCED. Consult with a physician.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Stop source of spill. Absorb with inert absorbant material and dispose of in a manner consistent with applicable regulations.

**24-hour Emergency Phone:** (800)255-3924

**PRODUCT CODE:** 4415

**WASTE DISPOSAL METHOD:** Dispose of in accordance with applicable Federal, State, and local regulations. Under RCRA regulations, it is the responsibility of the product user to determine, at the time of disposal, whether a material is hazardous.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Do not store below 32 F, or above 120 F. Keep container tightly closed when not in use.

**OTHER PRECAUTIONS:** Follow label instructions. KEEP OUT OF REACH OF CHILDREN.

===== SECTION VIII - PERSONEL SAFETY MEASURES =====

**RESPIRATORY PROTECTION:** None required in excess of normal ventilation.

**VENTILATION:** None required in excess of normal conditions.

**PROTECTIVE GLOVES:** None required.

**EYE PROTECTION:** Not required, but recommended to avoid possible contact with eyes.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None required.

**WORK/HYGIENIC PRACTICES:** Wash thoroughly after handling.

===== SECTION IX - REGULATORY INFORMATION =====

**TOXIC SUBSTANCES CONTROL ACT (TSCA):** All chemical components in this product are listed on the TSCA Inventory List, or are exempt from listing.

**SARA Section 312 HAZARD CATEGORIES:** Fire Hazard\_\_\_ Reactivity Hazard\_\_\_  
Acute Health Hazard\_\_\_ Chronic Health Hazard\_\_\_ Pressure Hazard\_\_\_

**SARA Section 313 REPORTABLE COMPONENTS:** (See Section II, If Applicable)

===== SECTION X - SHIPPING INFORMATION =====

**DOT SHIPPING NAME:** Cleaning Compound - liquid

**DOT HAZARD CLASS:** Not Applicable

**UN NUMBER:** Not Applicable

**DOT PACKING GROUP:** Not Applicable

**SPECIAL SHIPPING INFORMATION:** Not Applicable

===== DISCLAIMER =====

The information on this Material Safety Data Sheet represents our current available data and best opinion as to the proper handling in use of this product under normal conditions. Any use of this product which is not in conformance with this Data Sheet or which involves using this product in combination with other materials, or processes is the sole responsibility of the user.