



24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 5290

**INCOMPATIBILITY (MATERIALS TO AVOID):** None Known.

**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** Thermal decomposition may produce carbon monoxide, aldehydes, acids, oxides of sulfur and/or nitrogen.

**HAZARDOUS POLYMERIZATION:** Will not occur under normal conditions.

===== SECTION VI - HEALTH HAZARD DATA =====

**PRIMARY ROUTES OF ENTRY:** Inhalation \_\_\_\_\_ Eye Contact  X   
Skin Contact  X  Ingestion  X

**EXPOSURE LIMIT:** Refer to Section II for PEL / TLV exposure limits.

**ACUTE EFFECTS OF OVEREXPOSURE**

**INHALATION:** None known.

**EYE CONTACT:** May cause eye irritation.

**SKIN CONTACT:** May cause skin irritation on repeated or prolonged contact.

**SKIN ABSORPTION:** No evidence of adverse effects from available information.

**INGESTION:** Can cause headache, nausea, gastrointestinal irritation.

**CHRONIC EFFECTS OF OVEREXPOSURE:** There are no known chronic effects from this product.

**TARGET ORGAN(S):** None Known.

**CARCINOGENICITY:** NTP CARCINOGEN: \_\_\_\_\_ IARC MONOGRAPHS: \_\_\_\_\_ OSHA REGULATED: \_\_\_\_\_

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY OVEREXPOSURE:** No evidence of adverse effects from available information.

**EMERGENCY AND FIRST AID PROCEDURES**

**INHALATION:** Remove to fresh air.

**EYE CONTACT:** IN CASE OF CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Consult a physician. Wash skin with soap and water.

**SKIN CONTACT:** Wash skin with warm soapy water to remove.

**INGESTION:** Do not induce vomiting. Seek medical attention immediately.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Sweep solid material into a suitable container and dispose of in a manner consistent with applicable regulations.

**WASTE DISPOSAL METHOD:** Dispose of in accordance with applicable Federal, State, and local regulations. Under RCRA regulations, it is the responsibility of the product user to determine, at the time of disposal, whether a material is hazardous.

24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 5290

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Do not store above 100 deg F. Store only in cool, dry, well-ventilated areas.

**OTHER PRECAUTIONS:** Follow label instructions. KEEP OUT OF REACH OF CHILDREN.

===== SECTION VIII - PERSONEL SAFETY MEASURES =====

**RESPIRATORY PROTECTION:** None required in excess of normal ventilation.

**VENTILATION:** Local mechanical exhaust to provide normal ventilation.

**PROTECTIVE GLOVES:** For prolonged contact wear impervious gloves.

**EYE PROTECTION:** Safety glasses or goggles recommended.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None required.

**WORK/HYGIENIC PRACTICES:** Wash thoroughly after handling.

===== SECTION IX - REGULATORY INFORMATION =====

**TOXIC SUBSTANCES CONTROL ACT (TSCA):** All chemical components in this product are listed on the TSCA Inventory List, or are exempt from listing.

**SARA Section 312 HAZARD CATEGORIES:** Fire Hazard\_\_\_ Reactivity Hazard\_\_\_

Acute Health Hazard\_X Chronic Health Hazard\_\_\_ Pressure Hazard\_\_\_

**SARA Section 313 REPORTABLE COMPONENTS:** (See Section II, If Applicable)

===== SECTION X - SHIPPING INFORMATION =====

**DOT SHIPPING NAME:** Dry

**DOT HAZARD CLASS:** Not Applicable

**UN NUMBER:** Not Applicable

**DOT PACKING GROUP:** Not Applicable

**SPECIAL SHIPPING INFORMATION:** Not Applicable

===== DISCLAIMER =====

The information on this Material Safety Data Sheet represents our current available data and best opinion as to the proper handling in use of this product under normal conditions. Any use of this product which is not in conformance with this Data Sheet or which involves using this product in combination with other materials, or processes is the sole responsibility of the user.