

M A T E R I A L S A F E T Y D A T A S H E E T

24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 5660

PRODUCT NAME: REVU (A/14)
 PRODUCT CODE: 6281

HMIS CODES: H C F R P
 1 1 0 B

WHMIS CLASS: Not Determined

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: ATCO International
 ADDRESS : 1401 Barclay Circle
 Marietta, GA 30060
 INFORMATION PHONE : (770)424-7550

DATE PRINTED: 11/17/2011

PREPARED BY: Allen Buckalew, TECHNICAL SERVICES
 REVISION DATE: 11/17/2011

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	PEL	TLV	WEIGHT PERCENT
ISOPROPYL ALCOHOL	67-63-0	400ppm	200ppm	1-5%
*2-BUTOXYETHANOL	111-76-2	50ppm	20ppm	1-5%
LIQUIFIED PETROLEUM GAS	68476-86-8	1000ppm	1000ppm	3-13%

* Chemical subject to SARA 313 Requirements.

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

Data below based on Aerosol Concentrate Only, EXCEPT for Material V.O.C. (% is for total content):

BOILING RANGE:	212 deg. F	SPECIFIC GRAVITY (H2O=1):	0.990
VAPOR DENSITY:	>1	EVAPORATION RATE:	ND
DENSITY:	8.257 lb/gl	MATERIAL V.O.C.:	15%
SOLUBILITY IN WATER:	COMPLETELY SOLUBLE.	pH (Concentrate):	9.8
APPEARANCE:	WHITE FOAM.	pH (Diluted):	ND
ODOR:	LIGHT ALCOHOL		

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

OSHA FLAMMABILITY CLASSIFICATION: NON-FLAMMABLE SPRAY (as per CSMA Flame Projection test)

FLASH POINT: NONE TO BOIL, 212 DEG. F METHOD USED: TOC
 FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: ND UPPER: ND

EXTINGUISHING MEDIA: Foam, CO2, Dry Chemical

SPECIAL FIREFIGHTING PROCEDURES: If water is used, spray or fog nozzles are preferred. Water may be used to cool containers in order to prevent pressure build-up which could result in containers bursting. Use self contained breathing apparatus & protective clothing when fighting fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Exposure to temperature above 120 F may cause rupture of containers.

===== SECTION V - REACTIVITY DATA =====

24-hour Emergency Phone: (800)255-3924

PRODUCT CODE: 5660

INGESTION: Do not induce vomiting without medical advice. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately

===== **SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE** =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources, and open flame far away from spill or leak. Shut off source of spill if it can be done safely. Use non-sparking tools. Absorb with inert, absorbant material and dispose of in accordance with applicable regulations.

WASTE DISPOSAL METHOD: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Dispose of in accordance with applicable Federal, State, and local regulations. Under RCRA regulations, it is the responsibility of the product user to determine, at the time of disposal, whether a material is hazardous.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not store above 120 F. Keep container out of sunlight and away from heat, sparks, or flame. Store only in cool, dry, well-ventilated areas.

OTHER PRECAUTIONS: Follow label instructions. KEEP OUT OF REACH OF CHILDREN.

===== **SECTION VIII - PERSONEL SAFETY MEASURES** =====

RESPIRATORY PROTECTION: None required in excess of normal ventilation.

VENTILATION: Local mechanical exhaust to provide normal ventilation.

PROTECTIVE GLOVES: Impervious gloves recommended.

EYE PROTECTION: Use safety eyewear designed to protect against splash of liquids and aerosol sprays.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling.

===== **SECTION IX - REGULATORY INFORMATION** =====

TOXIC SUBSTANCES CONTROL ACT (TSCA): All chemical components in this product are listed on the TSCA Inventory List, or are exempt from listing.

SARA Section 312 HAZARD CATEGORIES: Fire Hazard___ Reactivity Hazard___

Acute Health Hazard_X Chronic Health Hazard__ Pressure Hazard_X

SARA Section 313 REPORTABLE COMPONENTS: (See Section II, If Applicable)

===== **SECTION X - SHIPPING INFORMATION** =====

DOT SHIPPING NAME: ORM-D Consumer Commodity

DOT HAZARD CLASS: Not Applicable

UN NUMBER: Not Applicable

DOT PACKING GROUP: Not Applicable

SPECIAL SHIPPING INFORMATION: Not Applicable

===== **DISCLAIMER** =====

The information on this Material Safety Data Sheet represents our current available data and best opinion as to the proper handling in use of this product under normal conditions. Any use of this product which is not in conformance with this Data Sheet or which involves using this product in combination with other materials, or processes is the sole responsibility of the user.