

Problems You Can Have With Conventional Industrial Oils?

- ✓ **Oxidation Causes Oil Breakdown and Equipment Damage**
- ✓ **Must Maintain Costly Inventories to Meet Many Equipment Manufacturer's Specs**
- ✓ **Oil Breaks Downs Under Severe Operating Conditions**
- ✓ **Rust and Corrosion Problems**



...setting performance
standards worldwide...

SRO 10w40...PERFORMANCE IN ACTION

● **OUTSTANDING TEMPERATURE PROTECTION.** SRO10w40 is a multigrade, multipurpose industrial oil designed for excellent long-term service in a wide temperature range. High operating temperatures can mean oxidation of conventional oils, resulting in lubrication breakdown and damage to equipment. SRO 10w40 is specially formulated with high viscosity index base stocks and anti-wear additives to give excellent temperature and oxidation stability, while at the same time providing maximum protection of systems from corrosion damage.

PERFORMANCE BENEFIT: No repair bills due to oxidation of oil. No lubrication breakdown under severe operating conditions.

● **VERSATILITY.** SRO 10w40 can be used in place of SAE grades 10w, 20w, 30w, and 40w industrial oils. It eliminates the need for stocking manufacturer's specified oils for each piece of equipment. Meets Cincinnati Milacron and more specifications.

PERFORMANCE BENEFIT: Saves inventory costs. Less chance of using the wrong industrial oil.

● **SEVERE SERVICE PROTECTION.** Outstanding lubricity reduces operating temperatures and gives better machine efficiency with less power consumption. Provides exceptional thermal stability.

PERFORMANCE BENEFIT: Saves on energy costs. Increases life of equipment because parts stay constantly lubricated.

● **SPECIAL ADDITIVES.** SRO 10w40 is fortified with anti-wear, anti-foam and antioxidant additives for long life.

PERFORMANCE BENEFIT: Reduces wear and friction. Maximum corrosion protection.

APPLICATIONS

SRO 10w40 represents the most advanced blend of highly refined base oils and special additives to assure long lubrication life of industrial equipment. Formulated with high viscosity index base stocks and anti-wear additives to give excellent temperature and oxidation stability. Provides superior protection against emulsification - SRO 10w40 will not mix with water.

TECHNICAL DATA

SAE Grade:	10w40
Viscosity	
SUS at 104 °F:	438.2
SUS at 104 °F:	73.1
Viscosity Index:	148
Pour Point, °F:	-10°F
Flash Point, °F:	415°F
Color:	Aqua blue

ALSO AVAILABLE IN

SAE GRADE:	10	20	30	40
Equivalent ISO Grade:	32	68	100	150
AMGA Equivalent:		1	3	4
Viscosities				
@ 104°F, SUS:	438.2	304	443	702
@ 212°F, SUS:	73.1	55.4	62.1	79.1
Viscosity Index:	148	102	101	102
Flash Point, COC, °F:	-10°F	-10°F	+5°F	+10°F
Pour Point, °F:	415°F	395°F	+435°F	+440°F
Color:	Aqua blue	Aqua blue	Aqua blue	Aqua blue

APPROVALS

Meets or exceeds: DIN 51524 part 2;
Cincinnati Milacron P-68, P-69, P-70; U.S.
Steel 127, 136.



...setting performance
standards worldwide...

C-13/PC-6290/1207

Problems You Can Have With Conventional Industrial Oils?

- ✓ **Oxidation Causes Oil Breakdown and Equipment Damage**
- ✓ **Must Maintain Costly Inventories to Meet Many Equipment Manufacturer's Specs**
- ✓ **Oil Breaks Downs Under Severe Operating Conditions**
- ✓ **Rust and Corrosion Problems**

SRO 10...PERFORMANCE IN ACTION

● **OUTSTANDING TEMPERATURE PROTECTION.** SRO 10 is a multipurpose anti-leak industrial oil designed for excellent long-term service in a wide temperature range. High operating temperatures can mean oxidation of conventional oils resulting in lubrication breakdown and damage to equipment. SRO 10 is specially formulated with high viscosity index base stocks and anti-wear additives to give excellent temperature and oxidation stability while providing maximum protection of systems from corrosion damage.

PERFORMANCE BENEFIT: No repair bills due to oxidation of oil. No lubrication breakdown under severe operating conditions.

● **SEVERE SERVICE PROTECTION.** Exclusive Xylidium™ gives this oil a high film strength to protect metal surfaces. Outstanding lubricity reduces operating temperatures and gives better machine efficiency with less power consumption. Provides exceptional thermal stability.

PERFORMANCE BENEFIT: Saves on energy costs. Increases life of equipment because parts stay constantly lubricated.

● **SPECIAL ADDITIVES.** SRO 10 is fortified with anti-wear, anti-foam, and antioxidant additives for long life. Superior splash resistance with slow "drip off" rate.

PERFORMANCE BENEFIT: Reduces wear and friction. Maximum corrosion protection.



APPLICATIONS

SRO 10 represents the most advanced blend of highly refined base oils and special additives to assure long lubrication life of industrial equipment. Formulated with high viscosity index base stocks and anti-wear additives to give excellent temperature and oxidation stability. Provides superior protection against emulsification -- won't mix with water.

TECHNICAL DATA

SAE Grade:	10
Viscosity	
SUS at 100 °F:	100
Viscosity Index:	98
Pour Point, °F:	0
Flash Point, °F:	380



...setting performance
standards worldwide...

C-13/PC-6289/0699

Problems You Can Have With Conventional Industrial Oils?

- ✓ **Oxidation Causes Oil Breakdown and Equipment Damage**
- ✓ **Must Maintain Costly Inventories to Meet Many Equipment Manufacturer's Specs**
- ✓ **Oil Breaks Downs Under Severe Operating Conditions**
- ✓ **Rust and Corrosion Problems**

SRO 30...PERFORMANCE IN ACTION

● **OUTSTANDING TEMPERATURE PROTECTION.** SRO 30 is a multipurpose anti-leak industrial oil designed for excellent long-term service in a wide temperature range. High operating temperatures can mean oxidation of conventional oils resulting in lubrication breakdown and damage to equipment. SRO 30 is specially formulated with high viscosity index base stocks and anti-wear additives to give excellent temperature and oxidation stability while providing maximum protection of systems from corrosion damage.

PERFORMANCE BENEFIT: No repair bills due to oxidation of oil. No lubrication breakdown under severe operating conditions.

● **SEVERE SERVICE PROTECTION.** Exclusive Xylidium™ gives this oil a high film strength to protect metal surfaces. Outstanding lubricity reduces operating temperatures and gives better machine efficiency with less power consumption. Provides exceptional thermal stability.

PERFORMANCE BENEFIT: Saves on energy costs. Increases life of equipment because parts stay constantly lubricated.

● **SPECIAL ADDITIVES.** SRO 30 is fortified with anti-wear, anti-foam, and antioxidant additives for long life. Superior splash resistance with slow "drip off" rate.

PERFORMANCE BENEFIT: Reduces wear and friction. Maximum corrosion protection.



APPLICATIONS

SRO 30 represents the most advanced blend of highly refined base oils and special additives to assure long lubrication life of industrial equipment. Formulated with high viscosity index base stocks and anti-wear additives to give excellent temperature and oxidation stability. Provides superior protection against emulsification -- won't mix with water.

TECHNICAL DATA

SAE Grade:	30
Viscosity	
SUS at 100 °F:	475
Viscosity Index:	98
Pour Point, °F:	+5
Flash Point, °F:	395



...setting performance
standards worldwide...

C-13/PC-6292/0699

Problems You Can Have With Conventional Industrial Oils?

- ✓ **Oxidation Causes Oil Breakdown and Equipment Damage**
- ✓ **Must Maintain Costly Inventories to Meet Many Equipment Manufacturer's Specs**
- ✓ **Oil Breaks Downs Under Severe Operating Conditions**
- ✓ **Rust and Corrosion Problems**

SRO 40...PERFORMANCE IN ACTION

● **OUTSTANDING TEMPERATURE PROTECTION.** SRO 40 is a multipurpose anti-leak industrial oil designed for excellent long-term service in a wide temperature range. High operating temperatures can mean oxidation of conventional oils resulting in lubrication breakdown and damage to equipment. SRO 40 is specially formulated with high viscosity index base stocks and anti-wear additives to give excellent temperature and oxidation stability while providing maximum protection of systems from corrosion damage.

PERFORMANCE BENEFIT: No repair bills due to oxidation of oil. No lubrication breakdown under severe operating conditions.

● **SEVERE SERVICE PROTECTION.** Exclusive Xylidium™ gives this oil a high film strength to protect metal surfaces. Outstanding lubricity reduces operating temperatures and gives better machine efficiency with less power consumption. Provides exceptional thermal stability.

PERFORMANCE BENEFIT: Saves on energy costs. Increases life of equipment because parts stay constantly lubricated.

● **SPECIAL ADDITIVES.** SRO 40 is fortified with anti-wear, anti-foam, and antioxidant additives for long life. Superior splash resistance with slow "drip off" rate.

PERFORMANCE BENEFIT: Reduces wear and friction. Maximum corrosion protection.



APPLICATIONS

SRO 40 represents the most advanced blend of highly refined base oils and special additives to assure long lubrication life of industrial equipment. Formulated with high viscosity index base stocks and anti-wear additives to give excellent temperature and oxidation stability. Provides superior protection against emulsification -- won't mix with water.

TECHNICAL DATA

SAE Grade:	40
Viscosity	
SUS at 100 °F:	725
Viscosity Index:	98
Pour Point, °F:	+5
Flash Point, °F:	410

ALSO AVAILABLE IN

SAE GRADE:	10	20	30	40	50
Equivalent ISO Grade:	22	68	100	150	220
AMGA Equivalent:		1	3	4	5
Viscosities					
@ 100°F, SUS:	100	250	475	725	1100
Viscosity Index:	98	98	98	98	98
Flash Point, COC, °F:	380	390	395	410	435
Pour Point, °F:	0	0	+5	+5	+5



...setting performance
standards worldwide...

C-13/PC-6293/0699