# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 09.04.2015 Revision: 09.04.2015

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

• 1.1 Product identifier

• Trade name: Char-Off

• Article number: 2513

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- Application of the substance / the mixture Oven and Grill Cleaner
- 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

ATCO International 1401 Barclay Circle, S.E. Marietta, Ga 30060 770-424-7550

• 1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924, +1 (813)248-0585

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
   Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

• Classification according to Directive 67/548/EEC or Directive

1999/45/EC C; Corrosive

R35: Causes severe burns.

• Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

• Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

• Additional information:

There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of component(s) of unknown toxicity

(Contd. on page 2)

Printing date 09.04.2015 Revision: 09.04.2015

**Trade name: Char-Off** 

(Contd. of page 1)

• 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

## Signal word Danger

### Hazard-determining components of

labelling: sodium hydroxide

#### Hazard statements

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection.

P264 Wash thoroughly after handling.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### Hazard description:

#### WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



#### NFPA ratings (scale 0 - 4)



(Contd. on page 3)

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 2)

# • HMIS-ratings (scale 0 - 4)

HEALTH 3
FIRE 0
REACTIVITY 0

Health =3 Fire = 0 Reactivity = 0

### • HMIS Long Term Health Hazard Substances

None of the ingredients are listed.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

# • Dangerous components:

• Dangerous components.		
CAS: 111-90-0 EINECS: 203-919-7	2-(2-ethoxyethoxy)ethanol substance with a Community workplace exposure limit	2,5-10%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	1110th Collin, 11200, Chair Collin 17 t, 110 1	5-10%
CAS: 68585-34-2 NLP: 500-223-8	Dodecyl alcohol ethoxylate (1) Sulfate Sodium Salt Xi R38-41; N R51 Eye Dam. 1, H318 Skin Irrit. 2, H315	< 2,5%
CAS: 61789-40-0 EINECS: 263-058-8	Cocoamidopropyl Betaine Xi R36 Eye Irrit. 2, H319	< 2,5%

#### Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. For the wording of the listed risk phrases refer to section 16.

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately remove any clothing soiled by the product. Immediately rinse with water.

Seek immediate medical help for blistering or open wounds.

(Contd. on page 4)

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 3)

#### • After eye contact:

Protect unharmed eye.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Coughing

Cramp

Nausea in case of ingestion.

Caustic effect on skin and mucous membranes.

#### Hazards

Danger of gastric perforation.

Causes serious eye damage.

#### 4.3 Indication of any immediate medical attention and special treatment

needed Medical supervision for at least 48 hours.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information Cool endangered receptacles with water spray.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

#### • 6.2 Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### • 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose contaminated material as waste according to item 13.

(Contd. on page 5)

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 4)

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### • 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: glass or ceramic.

• Information about storage in one common storage

facility: Store away from metals.

Store away from foodstuffs.

- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

#### 111-90-0 2-(2-ethoxyethoxy)ethanol

WEEL (USA) Long-term value: 25 ppm

EV (Canada) Long-term value: 165 mg/m<sup>3</sup>, 30 ppm

#### 1310-73-2 sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit: 2 mg/m <sup>3</sup>
FV	Ceiling limit: 2 mg/m <sup>3</sup>

- DNELs No further relevant information available.
- PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.

(Contd. on page 6)

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 5)

- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: For spills, respiratory protection may be advisable.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact gloves made of the following materials are suitable:

**PVC** gloves

Neoprene gloves

Natural rubber, NR

Butyl rubber, BR

#### • Eye protection:

Contact lenses should not be worn.



Safety glasses

#### Body protection:

Protective work clothing

Alkaline resistant protective clothing

• Limitation and supervision of exposure into the environment

No further relevant information available.

### Risk management measures

See Section 7 for additional information.

No further relevant information available.

(Contd. on page 7)

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 6)

# **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical properties

• General Information

• Appearance:

Form: Liquid

Colour: Amber colouredOdour: Solvent-likeOdour threshold: Not determined.

• pH-value at 20 °C (68 °F): 14

Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

Not Determined.
> 100 °C (> 212 °F)
> 100 °C (> 212 °F)

Flammability (solid, gaseous): Not applicable.
 Auto/Self-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

• **Self-igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

• Explosion limits:

Lower: Not determined.

Upper: Not determined.

• Vapour pressure: Not determined.

• Density at 20 °C (68 °F): 1,06 g/cm<sup>3</sup> (8,846 lbs/gal)

Relative density
Vapour density
Evaporation rate
Not determined.
Not determined.
Not determined.

• Solubility in / Miscibility with

water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

• Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

(Contd. on page 8)

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 7)

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidising agents.

Strong exothermic reaction with acids.

Corrosive action on metals.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition

products: Carbon monoxide and carbon

dioxide Sulphur oxides (SOx)

# **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity:
- LD/LC50 values relevant for classification:

# 1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitisation: No sensitising effects known.
- Subacute to chronic toxicity: No further relevant information available.
- Additional toxicological information:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- Repeated dose toxicity: No further relevant information available.

# **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: After neutralisation a reduction of the harming action may be recognised

(Contd. on page 9)

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 8)

#### Additional ecological information:

#### • General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

# **SECTION 14: Transport information**

- 14.1 UN-Number
- DOT, ADR, IMDG, IATA

UN1760

• 14.2 UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

DOT
 ADR
 Torrosive liquids, n.o.s. (contains sodium hydroxide)
 Too CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE)
 CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM

CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYDROXIDE)

• IATA Corrosive liquid, n.o.s. (contains sodium hydroxide)
(Contd. on page 10)

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 9) • 14.3 Transport hazard class(es) • DOT 8 Corrosive substances. Class Label • AUK Class 8 (C9) Corrosive substances. Label IMDG, IATA 8 Corrosive substances. Class Label • 14.4 Packing group Ш • DOT, ADR, IMDG, IATA • 14.5 Environmental hazards: • Marine pollutant: No • 14.6 Special precautions for user Warning: Corrosive substances. • Danger code (Kemler): • EMS Number: F-A,S-B Alkalis Segregation groups • 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: ADR Limited quantities (LQ) 1L • Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml • Transport category 2 • Tunnel restriction code • IMDG • Limited quantities (LQ) 1L (Contd. on page 11)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and **OSHA GHS**

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

Code: E2

(Contd. of page 10)

• Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM • UN "Model Regulation":

HYDROXIDE), 8, II

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- Carcinogenic Categories
- EPA (Environmental Protection Agency)

None of the ingredients are listed.

• IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

- Canada
- Canadian Domestic Substances List (DSL)

All ingredients are listed.

(Contd. on page 12)

Printing date 09.04.2015 Revision: 09.04.2015

**Trade name: Char-Off** 

(Contd. of page 11)

# Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

## Canadian Ingredient Disclosure list (limit 1%)

111-90-0 2-(2-ethoxyethoxy)ethanol

1310-73-2 sodium hydroxide

## • Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

# • Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

R35 Causes severe burns.

R36 Irritating to

eyes. R38 Irritating to

skin.

R41 Risk of serious damage to eyes.

R51 Toxic to aquatic organisms.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Met. Corr.1: Corrosive to metals, Hazard Category 1

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

(Contd. on page 13)

Printing date 09.04.2015 Revision: 09.04.2015

Trade name: Char-Off

(Contd. of page 12)

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Sources

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com