

**Safety Data Sheet**  
**DISLODGE**

**SECTION I – IDENTIFICATION**

**PRODUCT NAME:** DISLODGE  
**PRODUCT CODE:** 2981  
**PRODUCT USE:** Drain Opener  
**COMPANY NAME:** ATCO International  
**COMPANY ADDRESS:** 1401 Barclay Circle,S.E., Marietta, GA 30060  
**COMPANY PHONE:** (770) 424-7550  
**EMERGENCY PHONE:** (800) 255-3924

**SECTION II – HAZARDS IDENTIFICATION**

**CLASSIFICATION:** Skin Corrosion/Irritation Category: 1B  
Eye Damage/Irritation Category: 1  
Acute Toxicity, Oral Category: 4  
Target Organ Toxicity (Single Exposure): 3  
Physical Hazards: May be corrosive to metals.

**HAZARD STATEMENT(S): DANGER:** Causes severe skin burns and eye damage. Harmful if swallowed. May cause respiratory irritation.

**PRECAUTIONARY STATEMENTS:** Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Do not breathe dust/fume/gas/ mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Keep only in original container. Use only outdoors or in a well-ventilated area. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician. **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. **IF ON SKIN (OR HAIR):** Remove/Take Off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor/physician. **SPECIFIC TREATMENT** (see First Aid information on product label and/or Section 4 on SDS).  
**STORAGE:** Store locked up. Absorb spillage to prevent material damage. Dispose of contents/container in accordance with local/regional/national/international regulations.

**SYMBOL:**



**HAZARDS NOT OTHERWISE CLASSIFIED:** Mixing with water may cause splattering and release of heat.

**SECTION III – COMPOSITION/INFORMATION OF INGREDIENTS**

Hazardous Ingredient	CAS Number	Weight Percent (%)
Sodium Hydroxide	1310-73-2	30-40
Potassium Hydroxide	1310-58-3	1-5

**SECTION IV – FIRST AID MEASURES**

**EYES:** Flush eyes with cool running water for 15 minutes while calling for IMMEDIATE MEDICAL ATTENTION. If possible, wash immediately with 5% Boric acid solution. Washing eyes within several seconds is essential to achieve maximum effectiveness.

**INGESTION:** NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. (If available, drink vinegar, lemon or orange juice followed by mineral oil. GET MEDICAL ATTENTION IMMEDIATELY.

## Safety Data Sheet DISLODGE

**INHALATION:** Remove to fresh air. If breathing has stopped give artificial respiration. Get IMMEDIATE MEDICAL ATTENTION.

**SKIN:** In case of contact, immediately flush skin with soap and plenty of water for at least 15 minutes. (If available, also use vinegar to wash contact area). Remove contaminated clothing and shoes. Wash and thoroughly clean contaminated clothing and shoes before reuse. Get medical attention.

**ACUTE HEALTH HAZARDS: INHALATION:** Inhalation of fumes or mist can result in irritation or burns to the upper respiratory tract and lungs, pulmonary edema can also occur. **EYE CONTACT:** May cause permanent eye injury or blindness. **SKIN CONTACT:** Causes skin damage. **SKIN ABSORPTION:** Product is very corrosive to skin. **INGESTION:** Harmful if swallowed. Corrosive effects. Can cause severe burns and complete tissue perforation of mucous membranes of mouth, throat, and stomach.

**CHRONIC HEALTH HAZARDS:** Ingestion of this product is corrosive causing tissue damage in the mouth and esophagus. Can be fatal if left untreated by competent medical personnel.

**NOTE TO PHYSICIAN:** May aggravate existing eye, skin, or upper respiratory conditions.

### SECTION V – FIRE-FIGHTING MEASURES

**OSHA FLAMMABILITY CLASSIFICATION:** Not Regulated

**EXTINGUISHING MEDIA:** In case of fire, use water fog, dry chemical carbon dioxide, or “alcohol” foam. Water stream may be ineffective and may result in spreading the fire. Water spray (fog) is particularly effective.

**UNSUITABLE EXTINGUISHING MEDIA:** Water in stream for may be ineffective and may result in spreading the fire.

**SPECIAL FIRE FIGHTING PROCEDURES:** If water is used, fog nozzles are preferable. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None. However, containers may burst if overheated in fire. Cool containers using water spray or water fog nozzles.

**HAZARDOUS COMBUSTION PRODUCTS:** None Known

### SECTION VI – ACCIDENTAL RELEASE MEASURES

**PERSONAL PROTECTIVE EQUIPMENT:** Please use protective gloves/ protective clothing/ eye protection/ face protection.

**SPILL:** Stop source of spill. Absorb with inert absorbent material and dispose of in a manner consistent with applicable regulations.

**WASTE DISPOSAL:** Dispose of in accordance with applicable Federal, State, and local regulations.

**RCRA STATUS:** It is the responsibility of the product user to determine, at the time of disposal, whether a material is hazardous. Check the pH at the time of disposal, if it is greater than 12.5 it must be handled as a RCRA hazardous waste.

### SECTION VII – HANDLING AND STORAGE

**HANDLING AND STORAGE:** Do not store above 120 F. Keep closure tight and container upright to prevent leakage. Store container out of sunlight and away from heat, sparks, or flame. Store only in well-ventilated areas. Follow label instructions. KEEP OUT OF REACH OF CHILDREN.

**INCOMPATIBILITY:** Acids, strong oxidizers.

### SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Sodium Hydroxide	ND	2mg/m <sup>3</sup>
Potassium Hydroxide	ND	2mg/m <sup>3</sup>

**ENGINEERING CONTROLS / VENTILATION:** Local mechanical exhaust to provide normal ventilation.

**RESPIRATORY PROTECTION:** Wear an appropriate, properly fitted vapor respirator during application of this product in a confined space.

**Safety Data Sheet**  
**DISLODGE**

**PERSONAL PROTECTIVE EQUIPMENT:** PROTECTIVE GLOVES: Impervious rubber or vinyl gloves must be used. EYE PROTECTION: Use safety eyewear designed to protect against splash of liquids. OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Synthetic apron to protect against splash of liquids and face shield are also recommended.  
**ADDITIONAL MEASURES:** Wash thoroughly after handling.

**SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Clear, red liquid  
**ODOR:** Odorless  
**ODOR THRESHOLD:** N/A  
**BOILING POINT:** ND  
**FREEZING POINT:** ND  
**FLAMMABILITY:** Not considered a flammable liquid by OSHA  
**FLASH POINT:** None  
**AUTOIGNITION TEMPERATURE:** ND  
**LOWER FLAMMABILITY LIMIT:** ND  
**UPPER FLAMMABILITY LIMIT:** ND  
**VAPOR PRESSURE (mm Hg):** ND  
**VAPOR DENSITY (AIR=1):** ND  
**EVAPORATION RATE:** ND  
**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 1.45  
**DENSITY:** 12.10 lb/gal  
**pH:** Concentrated: >13  
**SOLIDS (%):** ND  
**SOLUBILITY IN WATER:** Completely Soluble  
**PARTITION COEFFICIENT: n-OCTANOL/WATER (K<sub>ow</sub>):**ND  
**VOLATILITY INCLUDING WATER (%):** ND  
**VOLATILE ORGANIC COMPOUNDS (VOC):** None  
**DIELECTRIC STRENGTH (Volts):** ND  
**DECOMPOSITION TEMPERATURE:** ND  
**VISCOSITY:** ND

**SECTION X – STABILITY AND REACTIVITY DATA**

**REACTIVITY:** Produces heat when mixed with water.  
**CHEMICAL STABILITY:** Product is stable under normal conditions.  
**CONDITIONS TO AVOID:** Avoid mixing with acidic or oxidizing materials.  
**INCOMPATIBILITY:** Acids, Strong oxidizers.  
**HAZARDOUS DECOMPOSITION OR BY-PRODUCT:** Thermal decomposition and or burning may produce oxides of carbon and various hydrocarbons.

**SECTION XI – TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION:**

HAZARDOUS INGREDIENT	RESULT	SPECIES	DOSE
Sodium Hydroxide	LD50 ORAL	RAT	300-500 mg/kg
Sodium Hydroxide	LD50 DERMAL	RABBIT	2 g/kg
Potassium Hydroxide	LD50 ORAL	RAT	284 mg/kg

**ROUTES OF ENTRY:** Inhalation, Eye Contact, Skin Contact, Ingestion

**EYES:** May cause permanent eye injury or blindness.

**INGESTION:** Harmful if swallowed. Corrosive effects. Can cause severe burns and complete tissue perforation of mucous membranes of mouth, throat, and stomach.

**INHALATION:** Inhalation of fumes or mist can result in irritation or burns to the upper respiratory tract and lungs, pulmonary edema can also occur.

## Safety Data Sheet DISLODGE

**SKIN:** Product is very corrosive to skin and causes skin damage.

**MEDICAL CONDITION AGGRAVATED:** May aggravate existing eye, skin, or upper respiratory conditions.

**CHRONIC HEALTH HAZARDS:** Ingestion of this product is corrosive causing tissue destruction in the mouth and esophagus. Can be fatal if left untreated by competent medical personnel.

**CARCINOGENICITY:** OSHA:NA ACGIH:NA NTP:NA IARC:NA OTHER:NA

### SECTION XII – ECOLOGICAL INFORMATION

**ECOLOGICAL INFORMATION:** Sodium Hydroxide

**BIODEGRADABILITY:** There is no data available.

**BIOACCUMULATION:** The product is not expected to bioaccumulate. **SOIL MOBILITY:** There is no data available.

**OTHER ECOLOGICAL HAZARDS:** May be harmful to aquatic life due to sodium hydroxide. No other adverse affects are expected.

### SECTION XIII --- DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** Dispose of in accordance with applicable Federal, State, and local regulations.

**RCRA STATUS:** Under RCRA regulations, it is the responsibility of the product user to determine, at the time of disposal, whether a material is hazardous.

### SECTION XIV – TRANSPORTATION INFORMATION

**PROPER SHIPPING NAME:** Corrosive Liquids, n.o.s. (Contains Sodium Hydroxide and Potassium Hydroxide)

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

**PACKAGING GROUP:** II

#### AIR SHIPMENT

**PROPER SHIPPING NAME:** Corrosive Liquids, n.o.s. (Contains Sodium Hydroxide and Potassium Hydroxide)

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

**PACKAGING GROUP:** II

#### SHIPPING BY WATER:

**VESSEL (IMO/IMDG)**

**PROPER SHIPPING NAME:** Corrosive Liquids, n.o.s. (Contains Sodium Hydroxide and Potassium Hydroxide)

**HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN 1760

**PACKAGING GROUP:** II

**ENVIRONMENTAL HAZARDS WATER:** N/A

### SECTION XV – REGULATORY INFORMATION

**TSCA STATUS:** All chemical components in this product are listed on the TSCA Inventory List, or are exempt from listing.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** The reportable quantity (RQ) for both component materials is 1000 lbs. If appropriate, immediately report to the National Response Center (1-800-424-8802) as required by U.S. Federal Law. Also, contact appropriate state and local regulatory agencies.

**SARA 311/312 HAZARD CATEGORIES:** Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

**SARA 313 REPORTABLE INGREDIENTS:** (See section II, if applicable)

**Safety Data Sheet**  
**DISLODGE**

**STATE REGULATIONS:** California Proposition 65: None. Sodium hydroxide - Illinois toxic substances disclosure to employee act; Illinois chemical safety act; New York release reporting list; Rhode Island RTK hazardous substances; Pennsylvania RTK; Minnesota; Massachusetts RTK; New Jersey; Louisiana spill reporting

**INTERNATIONAL REGULATIONS:** WHMIS (Canada): CLASS D-2A: Material causing other toxic effects (VERY TOXIC). CLASS E: Corrosive liquid.

**NFPA HEALTH:** 3  
**NFPA FLAMMABILITY:** 0  
**NFPA REACTIVITY:** 1  
**NFPA OTHER:** None

**HMIS HEALTH:** 3  
**HMIS FLAMMABILITY:** 0  
**HMIS REACTIVITY:** 1  
**HMIS PROTECTION:** D

<b>SECTION XVI – ADDITIONAL INFORMATION</b>
---

**PREPARATION BY:** Tech Services

**DATE PREPARED:** 11/07/2017

**REVISION DATE:** 11/07/2017

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.