SAFETY DATA SHEET

Section 1. Identification

GHS product identifier: Trans-Seal

Other means of identification: PC-6753

Relevant identified uses of the substance or mixture and uses advised against:

Silicone sealant

Supplier's details: Atco International

1401 Barclay Circle, S.E. Marietta, GA 30060

Emergency telephone number: 1-800-255-3924 (ChemTel) Hours of operation: 24 hours/day, 7 days/week

Section 2. Hazards identification

For this product, the ignition distance test and the flammability test do not apply. Therefore, the final

product is non-flammable.

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture: GASES UNDER PRESSURE - Liquefied gas

SKIN CORROSION/IRRITATION - Category 2

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

GHS label elements

Hazard pictograms:



Signal word: Warning

Hazard statements: Contains gas under pressure; may explode if heated.

Causes serious eye irritation. Causes skin irritation.

Precautionary statements

General: Read label before use. Keep out of reach of children. If medical advice

is needed, have product container or label at hand.

Trans-Seal (PC-6753) Page 1 of 13

Prevention: Wear protective gloves. Wear eye or face protection. Wash hands

thoroughly after handling.

Response: IF ON SKIN: Wash with plenty of soap and water. Take off

contaminated clothing.

Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical attention.

Storage: Protect from sunlight. Store in a well-ventilated place.

Disposal: Not applicable.

Hazards not otherwise classified: None known.

Section 3. Composition/information on ingredients

Substance/mixture: Mixture.

Other means of identification: Not available.

CAS number/other identifiers

CAS number: Not applicable. Product code: Not available.

Ingredient name	%	CAS number	Pure Substance Classification
Triacetoxyethylsilane	1 - 5	17689-77-9	ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 1B SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 ACUTE TOXICITY (oral) - Category 4
Methylsilanetriyl triacetate	1 - 5	4253-34-3	SKIN CORROSION/IRRITATION - Category 1C SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
1,1-Difluoroethane	1 - 5	75-37-6	FLAMMABLE GASES - Category 1 GASES UNDER PRESSURE - Liquefied gas

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids. Check for and remove any contact lenses.

Continue to rinse for at least 20 minutes. Get medical attention.

Trans-Seal (PC-6753) Page 2 of 13

Inhalation: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Continue to rinse for

at least 20 minutes. Get medical attention. Wash clothing before reuse.

Clean shoes thoroughly before reuse.

Ingestion: Wash out mouth with water. Remove dentures if any. Remove victim

to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Loosen tight clothing such as a collar, tie, belt, or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: Causes serious eye irritation.

Inhalation: Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact: Causes skin irritation.

Ingestion: Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation: No known significant effects or critical hazards.

Trans-Seal (PC-6753) Page 3 of 13

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion: No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: In case of inhalation of decomposition products in a fire,

symptoms may be delayed. The exposed person may need to be kept

under medical surveillance for 48 hours.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable

training. It may be dangerous to the person providing aid to give mouth-

to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the

surrounding fire.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical:

No specific fire or explosion hazard.

Hazardous thermal decomposition products: Decomposition products may include the

following materials:

carbon dioxide carbon monoxide

halogenated compounds

carbonyl halides metal oxide/oxides

Special protective actions for fire-fighters: No special precaution is required.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Trans-Seal (PC-6753) Page 4 of 13

For non-emergency personnel: No action shall be taken involving any personal risk or without

suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency

personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil, or air).

Methods and materials for containment and cleaning up

Small spill Move containers from spill area. Place spilled material in a

designated, labeled waste container. Dispose of via a licensed

waste disposal contractor.

Large spill Move containers from spill area. Approach release from upwind.

Prevent entry into sewers, water courses, basements or confined

areas. Do not dry sweep. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact

information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see

Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not

reuse container.

Advice on general occupational hygiene: Eating, drinking, and smoking should be prohibited in

areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking, and smoking. See also Section 8 for

additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Store in accordance with local

Regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from

Trans-Seal (PC-6753) Page 5 of 13

incompatible materials (see Section 10) and food and drink. Protect from sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits
United States
None.

Mexico

Ingredient name	Exposure limits
Silicon dioxide	NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 3 mg/m³ 8 hours. Form: breathable particulates LMPE-PPT: 10 mg/m³ 8 hours. Form: inhalable particulates

Appropriate engineering controls: Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Environmental exposure controls: Emissions from ventilation or work process equipment should be

checked to ensure they comply with the requirements of

environmental protection legislation.

Individual protection measures: Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the

workstation location.

Eye/face protection

Hygiene measures: Safety eyewear complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid

exposure to liquid splashes, mists or gases. If contact is possible, the following protection should be worn, unless the

Trans-Seal (PC-6753) Page 6 of 13

assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling

chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of

several substances, the protection time of the gloves cannot be

accurately estimated.

Body protection: Personal protective equipment for the body should be selected

based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Respiratory protection: Use a properly fitted, particulate filter respirator complying with

an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state: Solid. [Paste.]
Color: Colorless

Odor: Acetic acid odor.
Odor threshold: Not available.
pH: Not available.
Melting point: Not available.
Boiling point: Not available.

Flash point: Closed cup: >100°C (>212°F)

Burning time:

Burning rate:

Evaporation rate:

Flammability (solid, gas)

Lower and upper explosive:

Not available.

Not available.

Not available.

Not available.

(flammable) limits

Vapor pressure: Not available. Vapor density: Not available.

Trans-Seal (PC-6753) Page 7 of 13

Relative density: 1.007

Solubility: Not available. Solubility in water Not available.

Partition coefficient: There is no data available.

(n- octanol/water)

Auto-ignition temperature:
Decomposition temperature:
SADT:
Viscosity:
Not available.
Not available.
Not available.
Not available.

Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product

or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid: No specific data.

Incompatible materials: Reactive or incompatible with the following materials: oxidizing

materials.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient	Result	Species	Dose	Exposure
name				
Methylsilanetriyl	LD50 Oral	Rat	2060 mg/kg	-
triacetate				

Irritation/Corrosion

Product/ingredient	Result	Species	Score	Exposure	Observation
name					
Silica	Eyes - Mild	Rabbit	-	24 hours 25	-
	irritant			mg	

Sensitization: There is no data available.

Mutagenicity: There is no data available.

Carcinogenicity: There is no data available.

Reproductive toxicity: There is no data available.

Teratogenicity: There is no data available.

Trans-Seal (PC-6753) Page 8 of 13

Specific target organ toxicity (single exposure): There is no data available. Specific target organ toxicity (repeated exposure): There is no data available.

Aspiration hazard: There is no data available.

Information on the likely routes of exposure: Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects:

Eye contact: Causes serious eye irritation.

Inhalation: Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact: Causes skin irritation.

Ingestion: Irritating to mouth, throat, and stomach.

Symptoms related to the physical, chemical, and toxicological characteristics

Eye contact Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation: No known significant effects or critical hazards.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion: No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short- and long-term exposure

Short term exposure

Potential immediate effects: No known significant effects or critical hazards. Potential delayed effects: No known significant effects or critical hazards.

Long term exposure

Potential immediate effects: No known significant effects or critical hazards. Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects

General: No known significant effects or critical hazards.
Carcinogenicity: No known significant effects or critical hazards.
Mutagenicity: No known significant effects or critical hazards.
Teratogenicity: No known significant effects or critical hazards.
Developmental effects: No known significant effects or critical hazards.
Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates: There is no data available.

Trans-Seal (PC-6753) Page 9 of 13

Section 12. Ecological information

Toxicity: There is no data available.

Persistence and degradability: There is no data available.

Bioaccumulative potential: There is no data available.

Mobility in soil:

Soil/water partition coefficient (KOC): There is no data available.

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	IATA	
UN number	UN1950	UN1950	UN1950	
UN proper shipping	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable	
name	(each not exceeding 1	(each not exceeding 1	(each not exceeding 1	
	L capacity) (1, 1-	L capacity) (1, 1-	L capacity) (1, 1-	
	Difluoroethane)	Difluoroethane)	Difluoroethane)	
Transport hazard class(es)	2.1	2.1	2.1	
Packing group	-	-	-	
Environmental Hazards	No.	No.	No.	
Additional Information	Remarks: Limited	Remarks: Limited	Remarks: Limited	
	Quantity Exemption	Quantity Exemption	Quantity Exemption	

Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not available.

Trans-Seal (PC-6753) Page 10 of 13

Section 15. Regulatory information

U.S. Federal regulations: United States inventory (TSCA 8b):

All components are listed or exempted.

Clean Air Act (CAA) 112 regulated flammable substances: 1,1-Difluoroethane

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed

Clean Air Act Section 602: Not listed

Class I Substances: Not listed

Clean Air Act Section 602: Not listed

Class II Substances: Not listed

DEA List I Chemicals: Not listed

(Precursor Chemicals)

DEA List II Chemicals: Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ: Not applicable.

SARA 311/312

Classification: Sudden release of pressure

Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Methylsilanetriyl triacetate	1 - 5	No.	No.	No.	Yes.	No.
Triacetoxyethylsilane	1 - 5	No.	No.	No.	Yes.	No.

State regulations

Massachusetts: The following components are listed: Silicon dioxide; 1,1-Difluoroethane

New York None of the components are listed.

New Jersey The following components are listed: 1,1-Difluoroethane Pennsylvania The following components are listed: Silicon dioxide

Trans-Seal (PC-6753) Page 11 of 13

California Prop. 65: No products were found.

Mexico

Classification:



Health =2, Flammability = 1, Reactivity = 0, Special = None

International regulations

International lists:

Australia inventory (AICS):

China inventory (IECSC):

All components are listed or exempted.

All components are listed or exempted.

Japan inventory: Not determined.

Korea inventory: All components are listed or exempted.

Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted.

Taiwan inventory (CSNN): Not determined.

Chemical Weapons Convention List Schedule I Chemicals:

Chemical Weapons Convention List Schedule II Chemicals:

Not listed

Not listed

Not listed

Not listed

Section 16. Other information

History

Date of Review mm/dd/yyyy: 08/14/2023

Version: 1.0

Revised Section(s): Converted to French (Canada).

Prepared by: Technical Services

Key to abbreviations: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

UN = United Nations

Trans-Seal (PC-6753) Page 12 of 13

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

... End of SDS ...

Trans-Seal (PC-6753) Page 13 of 13